

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

### 1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Code	Aquimax Interior Wood Primer AQM073
	Other means of identification	WO4360 - 5L WO4167 - 25Kg
1.2	Recommended use of the chemical and restrictions on use	Relevant uses: Coatings for wood. For industrial use only. Uses advised against: All uses not specified in this section or in section 7.3
1.3	Name, Address, Telephone Number of the chemical manufacturer	Ultrimax Coatings Ltd Shaw Lane Industrial Estate, Ogden Road, Doncaster, DN2 4SE 01302 856666
1.4	Emergency phone number	01302 856666

### 2. HAZARD(S) IDENTIFICATION

2.1	Classification of the substance or mixture	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	29 CFR 1910.1200	
2.2	Label elements	None
	29 CFR 1910.1200	
2.3	Hazards not otherwise classified (HNOC)	Not applicable (N/A)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Substances	Not applicable (N/A)							
3.2	Mixtures	Aqueous mixture composed of additives, coalescents, pigments and resins							
	Chemical description								
	Components	Remaining components are non-hazardous and/or present at amounts below reportable limits. The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of 1910.1200. Therefore, in accordance with Appendix D to 1910.1200, the product contains: <table border="1"><thead><tr><th>Identification</th><th>Chemical name</th><th>Concentration</th></tr></thead><tbody><tr><td>CAS: 111-76-2</td><td>2-butoxyethanol</td><td>1 - &lt;2.5%</td></tr></tbody></table> To obtain more information on the hazards of the substances consult sections 11, 12 and 16.			Identification	Chemical name	Concentration	CAS: 111-76-2	2-butoxyethanol
Identification	Chemical name	Concentration							
CAS: 111-76-2	2-butoxyethanol	1 - <2.5%							

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

### 4. FIRST-AID MEASURES

4.1	Description of necessary measures	The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product
	By inhalation	This product does not contain substances classified as hazardous for inhalation, however in case of symptoms of intoxication remove the person affected from the exposed area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.
	By skin contact	This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or shower the person affected if necessary thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.
	By eye contact	Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.
	By ingestion / aspiration	Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.
4.2	Most important symptoms / effects, acute and delayed	Acute and delayed effects are indicated in sections 2 and 11
4.3	Indication of immediate medical attention and special treatment needed, if necessary	Not applicable (N/A)

### 5. FIRE-FIGHTING MEASURES

5.1	Suitable (and unsuitable) extinguishing media	Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC Powder), in accordance with the Regulation on fire protection systems.
	Suitable extinguishing media	
	Unsuitable extinguishing media	
5.2	Specific hazards arising from the chemical	As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and consequently, can present a serious health risk.

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

5.3	Special protective equipment and precautions for fire fighters	Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit etc)
	Additional provisions	As in any fire, prevent human exposure to fire, smoke, fumes or products or combustion. Only properly trained personnel should be involved in firefighting. Evacuate non essential personnel from the fire area. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

## 6. ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures:	Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilled product (see section 8). Evacuate the area and keep out those who do not have protection.
	For non-emergency personnel	
	For emergency responders	
6.2	Environmental precautions	This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.
6.3	Methods and materials for containment and cleaning up	For accidental releases in excess of reportable quantities (RQ) (table 302.4), refer to 40 CFR 302 for detailed instructions concerning reporting requirements and notify the National Response Centre (800) 424-8802. Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.
6.4	Reference to other sections	See sections 8 and 13.

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

## 7. HANDLING AND STORAGE

7.1	Precautions for safe handling	A	General Precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards to manually handling weights. Maintain order, cleanliness and dispose of, using safe methods (section 6)
		B	Technical recommendations for the prevention of fires and explosions Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.
		C	Technical recommendations on general occupation hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
		D	Technical Recommendations to prevent environmental risks It is recommended to have absorbent material available at close proximity to the product (see subsection 6.3)
7.2	Conditions for safe storage, including any incompatibilities	A	Technical measures for storage Minimum Temperature 41°F
		B	General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5.
7.3	Specific end use(s)		Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	Control Parameters	Substances whose occupational exposure limits have to be monitored in the workplace: US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000):			
		<b>Identification</b>		<b>Occupational exposure limits</b>	
		2-butoxyethanol CAS: 111-76-2	8-hour TWA PEL	50ppm	240 mg/m <sup>3</sup>
			Ceiling Values - TWA PEL		15 mg/m <sup>3</sup>
		Titanium dioxide (aerodynamic diameter ≥ 10 µm) CAS: 13463-67-7	8-hour TWA PEL		15 mg/m <sup>3</sup>
			Ceiling Values - TWA PEL		
		US. ACGIH Threshold Limit Values (2022):			
		<b>Identification</b>		<b>Occupational exposure limits</b>	
		Zinc distearate CAS: 13463-67-7	TLV-TWA		10 mg/m <sup>3</sup>
			TLV-STEL		20 mg/m <sup>3</sup>
		Talc CAS: 14807-96-6	TLV-TWA		2 mg/m <sup>3</sup>
			TLV-STEL		
		Limestone CAS: 1317-65-3	TLV-TWA		10 mg/m <sup>3</sup>
			TLV-STEL		20 mg/m <sup>3</sup>
		2-butoxyethanol CAS: 111-76-2	TLV-TWA	20ppm	
TLV-STEL					
1-methoxy-2-propanol CAS: 107-98-2	TLV-TWA	50ppm			
	TLV-STEL	100 ppm			
Titanium dioxide (aerodynamic diameter ≥ 10 µm) CAS: 13463-67-7	TLV-TWA		2.5 mg/m <sup>3</sup>		
	TLV-STEL				

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	Control Parameters	CALIFORNIA - TABLE AC-1 PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS:			
		Identification		Occupational exposure limits	
		Zinc distearate CAS: 557-05-1	PEL		10 mg/m <sup>3</sup>
			STEL		
		Talc CAS: 14807-96-6	PEL		2 mg/m <sup>3</sup>
			STEL		
		2-butoxyethanol CAS: 111-76-2	PEL	20 ppm	97 mg/m <sup>3</sup>
			STEL		
		1-methoxy-2-propanol CAS: 107-98-2	PEL	100 ppm	360 mg/m <sup>3</sup>
			STEL	540 ppm	
	Biological limit values	Biological Exposure Indices (BEIs®) - ACGIH			
		Identification	BEIs®	Determinant	Sampling Time
		2-butoxyethanol CAS: 111-76-2	200 mg/g (NULL)	Butoxyacetic acid (BAA) in urine	End of Shift
8.2	Appropriate engineering controls	<p>Individual protection measures, such as personal protective equipment</p> <p>As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection etc) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation, the information on clothing performance must be combined with professional judgement, and a clear understanding of the clothing application, to provide the best protection to the worker. All chemical protective clothing must be based on a hazard assessment to determine the risks for exposure to chemicals and other hazards. Conduct hazard assessments in accordance with 29 CFR 1910.132.</p>			

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

8.2	Appropriate engineering controls	B	Respiratory Protection The use of protection equipment will be necessary if a mist form or if the occupational exposure limits are exceeded.
		C	Specific protection for the hands Not Applicable N/A
		D	Eye and Face protection Not Applicable N/A
		E	Bodily protection Not Applicable N/A
		F	Additional emergency measures It is not necessary to take additional emergency measures
		Environmental exposure controls	In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and it's container. For additional information see subsection 7.1.D
40 CFR Part 59 (VOC)	V.O.C. (weight-percent): 3.61% weight V.O.C. at 77°F: 128.39 kg/m <sup>3</sup> (128.39 g/l)		
California Air Resources Board (CARB) - VOC Regulatory	V.O.C. (weight-percent): 3.61% weight V.O.C. at 77°F: 128.39 kg/m <sup>3</sup> (128.39 g/l)		
South Coast Air Quality Management District (AQMD) - VOC Regulatory	V.O.C. (weight-percent): 3.61% weight V.O.C. at 77°F: 127.58 kg/m <sup>3</sup> (127.58 g/l)		
Ozone Transport Commission (OTC) Rules - VOC Regulatory	V.O.C. (weight-percent): 3.61% weight V.O.C. at 77°F: 128.39 kg/m <sup>3</sup> (128.39 g/l)		

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical properties	For complete information see the product datasheet		
	Appearance	Physical state at 68°F	Liquid	
		Appearance	N/A	
		Colour	N/A	
		Odour	N/A	
		Odour Threshold	N/A*	
	Volatility	Boiling point at atmospheric pressure	218°F	
		Vapour pressure at 77°F	3154 Pa	
		Vapour pressure at 122°F	12265.25 Pa (12.27 kPa)	
		Evaporation rate at 77°F	N/A*	
	Product description	Density at 77°F	1344.1 kg/m <sup>3</sup>	
		Relative density at 77°F	1.344	
		Dynamic viscosity at 77°F	N/A*	
		Kinematic viscosity at 77°F	N/A*	
		Contentration	N/A*	
pH		N/A*		

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

9.1	Product description	Vapour density at 77°F	N/A*
		Partition coefficient n-octanol/water 77°F	N/A*
		Solubility in water at 77°F	N/A*
		Solubility properties	N/A*
		Decomposition temperature	N/A*
		Melting point / Freezing point	N/A*
	Flammability	Flash point	Non Flammable (>199.4°F)
		Flammability (solid, gas)	N/A*
		Autoignition temperature	372°F
		Lower flammability limit	N/A*
		Upper flammability limit	N/A*
Particle characteristics	Median equivalent diameter	N/A	
9.2	Other information Information with regard to physical hazard classes	Explosive properties	N/A*
		Oxidising properties	N/A*
		Corrosive to metals	N/A*
		Heat of combustion	N/A*
		Aerosols-total percentage (by mass) of flammable components	N/A
	Other safety characteristics	Surface tension at 77°F	N/A*
		Refraction index	N/A*

## 10. STABILITY AND REACTIVITY

10.1	Reactivity	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.	
10.2	Chemical stability	Chemically stable under the indicated conditions of storage, handling and use	
10.3	Possibility of hazardous reactions	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected	
10.4	Conditions to avoid	Applicable for handling and storage at room temperature:	
		Shock and friction	N/A
		Contact with air	N/A
		Increase in temperature	N/A
		Sunlight	N/A
		Humidity	N/A

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

10.5	Incompatible materials	Acids	Avoid strong acids
		Water	N/A
		Oxidising materials	N/A
		Combustible materials	N/A
		Others	Avoid alkalis or strong bases
10.6	Hazardous decomposition products	See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO <sub>2</sub> ), carbon monoxide and other organic compounds.	

## 11. TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	The experimental information related to the toxicological properties of the product itself is not available. Contains glycols. With possibility of effects that are hazardous to the health, it is recommended not to breathe the vapours for long periods of time.	
	Dangerous health implications	A	In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:  Ingestion (acute effect): <ul style="list-style-type: none"> <li>Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.</li> <li>Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.</li> </ul>
		B	Inhalation (acute effect): <ul style="list-style-type: none"> <li>Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.</li> <li>Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract.</li> </ul>

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

11.1	Dangerous health implications	<p>Contact with the skin and the eyes (acute effect):</p> <ul style="list-style-type: none"> <li>• Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.</li> <li>• Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.</li> </ul> <p>C</p> <p>CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):</p> <ul style="list-style-type: none"> <li>• Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: 2,6-di-tert-butyl-p-cresol (3); 2-butoxyethanol (3); Talc (3); Mica (RCS &lt; 1%) (1)</li> <li>• Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> <li>• Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> </ul> <p>D</p> <p>Sensitizing effects</p> <ul style="list-style-type: none"> <li>• Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.</li> <li>• Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.</li> </ul> <p>E</p> <p>Specific target organ toxicity (STOT) - single exposure</p> <ul style="list-style-type: none"> <li>• Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section</li> </ul> <p>F</p>
------	-------------------------------	---

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

11.1	Dangerous health implications	<p>Specific target organ toxicity (STOT) - repeated exposure</p> <ul style="list-style-type: none"> <li>Specific target organ toxicity (STOT) - repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> <li>Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> </ul>																							
	Other information	<p>Aspiration Hazard</p> <ul style="list-style-type: none"> <li>Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.</li> </ul>																							
	Specific toxicology information on the substances	<table border="1"> <thead> <tr> <th>Identification</th> <th colspan="2">Acute Toxicity</th> <th>Genus</th> </tr> </thead> <tbody> <tr> <td rowspan="3">2-butoxyethanol CAS: 111-76-2 EC: 203-905-0</td> <td>LD50 oral</td> <td>1200 mg/kg (ATEi)</td> <td>Rat</td> </tr> <tr> <td>LD50 dermal</td> <td>3000 mg/kg</td> <td>Rabbit</td> </tr> <tr> <td>LC50 inhalation</td> <td>3 mg/L (ATEi)</td> <td></td> </tr> <tr> <td rowspan="3">Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable</td> <td>LD50 oral</td> <td>64 mg/kg</td> <td>Rat</td> </tr> <tr> <td>LD50 dermal</td> <td>87.12 mg/kg</td> <td>Rabbit</td> </tr> <tr> <td>LC50 inhalation</td> <td>0.33 mg/L (4h)</td> <td>Rat</td> </tr> </tbody> </table>	Identification	Acute Toxicity		Genus	2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	LD50 oral	1200 mg/kg (ATEi)	Rat	LD50 dermal	3000 mg/kg	Rabbit	LC50 inhalation	3 mg/L (ATEi)		Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	LD50 oral	64 mg/kg	Rat	LD50 dermal	87.12 mg/kg	Rabbit	LC50 inhalation	0.33 mg/L (4h)
Identification	Acute Toxicity		Genus																						
2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	LD50 oral	1200 mg/kg (ATEi)	Rat																						
	LD50 dermal	3000 mg/kg	Rabbit																						
	LC50 inhalation	3 mg/L (ATEi)																							
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	LD50 oral	64 mg/kg	Rat																						
	LD50 dermal	87.12 mg/kg	Rabbit																						
	LC50 inhalation	0.33 mg/L (4h)	Rat																						
11.2	Information on other hazards	Endocrine-disrupting properties: The product does not meet the criteria																							
	Endocrine disrupting properties																								
	Other Information																								

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

## 12. ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available.

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

	Toxicity	Identification	Concentration		Species	Genus
		12.1	Acute toxicity	2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	LC50	1490 mg/L (95 h)
EC50	1815 mg/L (48 h)				Daphnia magna	Crustacean
EC50	911 mg/L (72 h)				Pseudokirchneriella subcapitata	Algae
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	LC50			>0.1 - 1 mg/L (96 h)		Fish
	EC50			>0.1 - 1 mg/L (48 h)		Crustacean
	EC50			>0.1 - 1 mg/L (72 h)		Algae
12.1	Chronic toxicity	2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	NOEC	100 mg/L	Danio Rerio	Fish
			NOEC	100 mg/L	Daphnia magna	Crustacean
12.2	Persistence and degradability	Identification	Degradability		Biodegradability	
	Substance-specific information	2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	BOD5	9.71 g O2/g	Concentration	100 mg/L
			COD	2.2 g O2/g	Period	14 days
			BOD5/COD	0.32	% Biodegradable	96%
12.3	Bioaccumulative potential	Identification	Bioaccumulation Potential			
	Substance-specific information	2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	BCF	3		
			Pow Log	0.83		
			Potential	Low		

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

12.4	Mobility in soil	<b>Identification</b>	<b>Absorption/desorption</b>		<b>Volatility</b>	
		2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	Koc	8	Henry	1.621E-1 Pa·m <sup>3</sup> /mol
			Conclusion	Very High	Dry Soil	No
			Surface tension	2.729E-2 N/m (25 °C)	Moist Soil	Yes
12.5	Results of PBT and vPvB assessment	Product does not meet PBT/vPvB criteria				
12.6	Endocrine disrupting properties	Endocrine-disrupting properties: The product does not meet the criteria.				
12.7	Other adverse effects:	Not described				

## 13. DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	<b>Code</b>	<b>Description</b>	<b>Waste Class (Regulation (EU) No 1357/2014)</b>
		08 01 12	Waste paint and varnish other than those mentioned in 08 01 11	Non-hazardous
	Type of waste (Regulation (EU) No 1357/2014)	Non-applicable		
	Waste management (disposal and evaluation)	Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.		
	Regulations related to waste management	In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014		

## 14. TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID, IMDG, IATA)

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

## 15. REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	<p>Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2- benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one(3:1), bronopol (INN),2-methyl-2H-isothiazol-3-one.</p> <p>Candidate substances for authorisation under the Regulation (EC) No 1907/2006(REACH): Non-applicable</p> <p>Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable</p> <p>Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable</p> <p>Article 95, REGULATION (EU) No 528/2012: Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13)</p> <p>REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable</p>
	Seveso III	Non-Applicable
	Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc)	<p>Contains Decamethylcyclopentasiloxane. 1.   Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020.   2.   For the purposes of this entry, "wash-off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application.'</p>
	Specific provisions in terms of protecting people or the environment	It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.
	Other legislation	The product could be affected by sectorial legislation
15.2	Chemical safety assessment	The supplier has not carried out evaluation of chemical safety

# AQUIMAX PRIMER

## HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation: 10/19/2017

Revised Date: 01/04/2023

Version: 4

## 16. OTHER INFORMATION

Legislation related to safety data sheets	The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).
Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks:	Non-applicable
Texts of the legislative phrases mentioned in section 3	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3
CLP Regulation (EC) No 1272/2008	Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H331 - Toxic if inhaled. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.
Classification procedure	Non-applicable
Advice related to training	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.
Principal bibliographical sources	<a href="http://echa.europa.eu">http://echa.europa.eu</a> <a href="http://eur-lex.europa.eu">http://eur-lex.europa.eu</a>
Abbreviations and acronyms	ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5 day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanol/water partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

Product safety information sheet prepared in accordance with Article 32 of Regulation (EC) 1907/2006 (REACH); this document does not constitute a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006, as a Safety Data Sheet is not mandatory for this product

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.