

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

1. PRODUCT AND COMPANY IDENTIFICATION

1.1	Product Code	Aquimax Self Sealer Lacquer AQM091
	Other means of identification	WO4161M-5 - Matt 10% 5L WO4161M - Matt 10% 20L WO4161S - Satin 30% 20L
1.2	Relevant identified uses of the substance or mixture and uses advised against	Relevant uses: Product for varnishing wood. For industrial user only. Uses advised against: All uses not specified in this section or in section 7.3.
1.3	Name, Address, Telephone Number of the chemical manufacturer	Ultrimax Coatings Ltd Shaw Lane Industrial Estate, Ogden Road, Doncaster, DN2 4SE 01302 856666
1.4	Emergency phone number	01302 856666

2. HAZARD(S) IDENTIFICATION

2.1	Classification of the substance or mixture	The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008
	CLP Regulation (EC) No 1272/2008	
2.2	Label elements	Non applicable (N/A)
	CLP Regulation (EC) No 1272/2008	
	Hazard Statements	
	Precautionary statements	
2.2	Supplementary information	Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one(3:1). May produce an allergic reaction. Safety data sheet available on request.
	2.3	Other hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Substances	Not applicable (N/A)									
3.2	Mixtures	Aqueous mixture composed of additives, coalescents, pigments and resin									
	Chemical description	In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:									
	Components	<table border="1"><thead><tr><th>Identification</th><th>Chemical name/Classification</th><th>Concentration</th></tr></thead><tbody><tr><td>CAS: 111-76-2 EC: 203-905-0 Index: 603-014-00-0 REACH: 01-2119475108-36-XXXX</td><td>2-butoxyethanol ATP ATP18</td><td rowspan="2">1 - <2.5%</td></tr><tr><td>Regulation 1272/2008</td><td>Acute Tox. 3: H331; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Danger</td></tr></tbody></table>	Identification	Chemical name/Classification	Concentration	CAS: 111-76-2 EC: 203-905-0 Index: 603-014-00-0 REACH: 01-2119475108-36-XXXX	2-butoxyethanol ATP ATP18	1 - <2.5%	Regulation 1272/2008	Acute Tox. 3: H331; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Danger	
Identification	Chemical name/Classification	Concentration									
CAS: 111-76-2 EC: 203-905-0 Index: 603-014-00-0 REACH: 01-2119475108-36-XXXX	2-butoxyethanol ATP ATP18	1 - <2.5%									
Regulation 1272/2008	Acute Tox. 3: H331; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Danger										

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

3.2	Components	<table border="1"> <thead> <tr> <th>Identification</th> <th>Chemical name/Classification</th> <th>Concentration</th> </tr> </thead> <tbody> <tr> <td rowspan="2"> CAS: 55965-84-9 EC: Non-applicable Index: 613-167-00-5 REACH: Non-applicable </td> <td> Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol Self-classified-3-one (3:1)⁽¹⁾ </td> <td rowspan="2" style="text-align: center; vertical-align: middle;"><0.25%</td> </tr> <tr> <td> Regulation 1272/2008 </td> <td> Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317 - Danger </td> </tr> </tbody> </table>	Identification	Chemical name/Classification	Concentration	CAS: 55965-84-9 EC: Non-applicable Index: 613-167-00-5 REACH: Non-applicable	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol Self-classified-3-one (3:1) ⁽¹⁾	<0.25%	Regulation 1272/2008	Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317 - Danger						
	Identification	Chemical name/Classification	Concentration													
CAS: 55965-84-9 EC: Non-applicable Index: 613-167-00-5 REACH: Non-applicable	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol Self-classified-3-one (3:1) ⁽¹⁾	<0.25%														
	Regulation 1272/2008		Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317 - Danger													
<p>⁽¹⁾Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878</p> <p>To obtain more information on the hazards of the substances consult section 11, 12 and 16.</p>																
Other information	<table border="1"> <thead> <tr> <th>Identification</th> <th colspan="2">M-factor</th> </tr> </thead> <tbody> <tr> <td rowspan="2"> Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable </td> <td style="text-align: center;">Acute</td> <td style="text-align: center;">100</td> </tr> <tr> <td style="text-align: center;">Chronic</td> <td style="text-align: center;">100</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Identification</th> <th>Specific concentration limit</th> </tr> </thead> <tbody> <tr> <td> Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable </td> <td> % (w/w) >=0,6: Skin Corr. 1B - H314 0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315 % (w/w) >=0,06: Eye Irrit. 2 - H319 % (w/w) >=0,0015: Skin Sens. 1A - H317 </td> </tr> </tbody> </table>	Identification	M-factor		Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	Acute	100	Chronic	100	Identification	Specific concentration limit	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0,6: Skin Corr. 1B - H314 0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315 % (w/w) >=0,06: Eye Irrit. 2 - H319 % (w/w) >=0,0015: Skin Sens. 1A - H317			
Identification	M-factor															
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	Acute	100														
	Chronic	100														
Identification	Specific concentration limit															
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	% (w/w) >=0,6: Skin Corr. 1B - H314 0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315 % (w/w) >=0,06: Eye Irrit. 2 - H319 % (w/w) >=0,0015: Skin Sens. 1A - H317															
<p>Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:</p> <table border="1"> <thead> <tr> <th>Identification</th> <th>Acute toxicity</th> <th></th> <th>Genus</th> </tr> </thead> <tbody> <tr> <td rowspan="3"> 2-butoxyethanol CAS: 111-76-2 EC: 203-905-0 </td> <td style="text-align: center;">LD50 oral</td> <td style="text-align: center;">1200 mg/kg (ATEi)</td> <td style="text-align: center;">Rat</td> </tr> <tr> <td style="text-align: center;">LD50 dermal</td> <td style="text-align: center;">Non-applicable</td> <td></td> </tr> <tr> <td style="text-align: center;">LC50 inhalation</td> <td style="text-align: center;">3 mg/L (ATEi)</td> <td></td> </tr> </tbody> </table>			Identification	Acute toxicity		Genus	2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	LD50 oral	1200 mg/kg (ATEi)	Rat	LD50 dermal	Non-applicable		LC50 inhalation	3 mg/L (ATEi)	
Identification	Acute toxicity		Genus													
2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	LD50 oral	1200 mg/kg (ATEi)	Rat													
	LD50 dermal	Non-applicable														
	LC50 inhalation	3 mg/L (ATEi)														

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

4. FIRST-AID MEASURES

4.1	Description of first aid measures	The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.
	By inhalation	This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.
	By skin contact	This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.
	By eye contact	Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.
	By ingestion / aspiration	Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.
4.2	Most important symptoms / effects, acute and delayed	Acute and delayed effects are indicated in sections 2 and 11
4.3	Indication of immediate medical attention and special treatment needed, if necessary	Not applicable (N/A)

5. FIRE-FIGHTING MEASURES

5.1	Extinguishing media	Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.
	Suitable extinguishing media	
	Unsuitable extinguishing media	
5.2	Specific hazards arising from the chemical	As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

5.3	Advice for firefighters	Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.
	Additional provisions	Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal precautions, protective equipment and emergency procedures:	Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.
	For non-emergency personnel	
	For emergency responders	
6.2	Environmental precautions	It is recommended to avoid environmental spillage of both the product and its container.
6.3	Methods and materials for containment and cleaning up	It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.
6.4	Reference to other sections	See sections 8 and 13.

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

7. HANDLING AND STORAGE

7.1	Precautions for safe handling	A	<p>General Precautions for safe use</p> <p>Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).</p>
		B	<p>Technical recommendations for the prevention of fires and explosions</p> <p>Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.</p>
		C	<p>Technical recommendations on general occupational hygiene</p> <p>Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.</p>
		D	<p>Technical recommendations to prevent environmental risks</p> <p>It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)</p>
7.2	Conditions for safe storage, including any incompatibilities	A	<p>Technical measures for storage</p> <p>Minimum Temperature 5°C</p>
		B	<p>General conditions for storage</p> <p>Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5</p>
7.3	Specific end use(s)		<p>Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.</p>

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1	Control Parameters	Substances whose occupational exposure limits have to be monitored in the workplace: Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:					
		Identification		Occupational exposure limits			
		2-butoxyethanol CAS: 111-76-2 EC: 203-905-0		IOELV (8h)	20ppm	98 mg/m ³	
		2-(2-butoxyethoxy) ethanol CAS: 112-34-5 EC: 203-961-6		IOELV (8h)	10ppm	67.5 mg/m ³	
		2-aminoethanol CAS: 141-43-5 EC: 205-483-3		IOELV (8h)	1ppm	2.5 mg/m ³	
				IOELV (STEL)	50ppm	246 mg/m ³	
				IOELV (STEL)	15ppm	101.2 mg/m ³	
				IOELV (STEL)	3ppm	7.6 mg/m ³	
	DNEL (Workers)			Short Exposure		Long Exposure	
		Identification		Systemic	Local	Systemic	Local
		2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	Oral	N/A	N/A	N/A	N/A
			Dermal	89 mg/kg	N/A	125 mg/kg	N/A
			Inhalation	1091 mg/m ³	246 mg/m ³	98 mg/m ³	N/A
	DNEL (General Population)			Short Exposure		Long Exposure	
		Identification		Systemic	Local	Systemic	Local
		2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	Oral	N/A	N/A	6.3 mg/kg	N/A
			Dermal	89 mg/kg	N/A	75 mg/kg	N/A
			Inhalation	426mg/m ³	147mg/m ³	59mg/m ³	N/A
	PNEC	Identification					
		2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	STP	463 mg/L	Fresh Water	8.8 mg/L	
			Soil	2.33 mg/kg	Marine Water	0.88mg/L	
			Intermittent	26.4 mg/L	Sediment (Fresh Water)	34.6 mg/kg	
			Oral	0.02 g/Kg	Sediment (Marine Water)	3.46 mg/kg	

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

8.2	Exposure controls	A	Individual protection measures, such as personal protective equipment As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.
		B	Respiratory Protection The use of protection equipment will be necessary if a mist form or if the occupational exposure limits are exceeded.
		C	Specific protection for the hands Not Applicable N/A
		D	Eye and Face protection Not Applicable N/A
		E	Bodily protection Not Applicable N/A
		F	Additional emergency measures It is not necessary to take additional emergency measures
		Environmental exposure controls	In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and it's container. For additional information see subsection 7.1.D
Volatile organic compounds	With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C (Supply): 1.79% weight V.O.C density at 25°C: 18.91 kg/m ³ (18.91 g/L) Average carbon number: 5.99 Average molecular weight: 118.06 g/mol		

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties		For complete information see the product datasheet	
9.1	Appearance	Physical state at 20°C	Liquid
		Appearance	N/A
		Colour	N/A
		Odour	N/A
		Odour Threshold	N/A*
	Volatility	Boiling point at atmospheric pressure	103°C
		Vapour pressure at 25°C	3161 Pa
		Vapour pressure at 50°C	12289.21 Pa (12.29 kPa)
		Evaporation rate at 25°C	N/A*
	Product description	Density at 25°C	1053.9 kg/m ³
		Relative density at 25°C	1.054
		Dynamic viscosity at 25°C	N/A*
		Kinematic viscosity at 25°C	N/A*
		Kinematic viscosity at 40°C	N/A*
		Concentration	N/A*
		pH	N/A*
		Vapour density at 25 °C	N/A*
		Partition coefficient n-octanol/water 25 °C	N/A*
		Solubility in water at 25 °C	N/A*
		Solubility properties	N/A*
Decomposition temperature		N/A*	
Melting point/freezing point		N/A*	
Flammability	Flash point	Non Flammable (>60°C)	
	Flammability (solid, gas)	N/A*	
	Autoignition temperature	189°C	
	Lower flammability limit	N/A*	
	Upper flammability limit	N/A*	
Particle characteristics	Median equivalent diameter	N/A	
9.2	Other information Information with regard to physical hazard classes	Explosive properties	N/A*
		Oxidising properties	N/A*
		Corrosive to metals	N/A*
		Heat of combustion	N/A*
		Aerosols-total percentage (by mass) of flammable components	N/A
	Other safety characteristics	Surface tension at 25°C	N/A*
Refraction index		N/A*	

*Not relevant due to the nature of the product, not providing information of it's hazards

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

10. STABILITY AND REACTIVITY

10.1	Reactivity	No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.										
10.2	Chemical stability	Chemically stable under the indicated conditions of storage, handling and use										
10.3	Possibility of hazardous reactions	Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected										
10.4	Conditions to avoid	Applicable for handling and storage at room temperature: <table border="1"><tr><td>Shock and friction</td><td>N/A</td></tr><tr><td>Contact with air</td><td>N/A</td></tr><tr><td>Increase in temperature</td><td>N/A</td></tr><tr><td>Sunlight</td><td>N/A</td></tr><tr><td>Humidity</td><td>N/A</td></tr></table>	Shock and friction	N/A	Contact with air	N/A	Increase in temperature	N/A	Sunlight	N/A	Humidity	N/A
Shock and friction	N/A											
Contact with air	N/A											
Increase in temperature	N/A											
Sunlight	N/A											
Humidity	N/A											
10.5	Incompatible materials	<table border="1"><tr><td>Acids</td><td>Avoid strong acids</td></tr><tr><td>Water</td><td>N/A</td></tr><tr><td>Oxidising materials</td><td>Avoid direct impact</td></tr><tr><td>Combustible materials</td><td>N/A</td></tr><tr><td>Others</td><td>Avoid alkalis or strong bases</td></tr></table>	Acids	Avoid strong acids	Water	N/A	Oxidising materials	Avoid direct impact	Combustible materials	N/A	Others	Avoid alkalis or strong bases
Acids	Avoid strong acids											
Water	N/A											
Oxidising materials	Avoid direct impact											
Combustible materials	N/A											
Others	Avoid alkalis or strong bases											
10.6	Hazardous decomposition products	See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO ₂), carbon monoxide and other organic compounds.										

11. TOXICOLOGICAL INFORMATION

11.1	Information on toxicological effects	The experimental information related to the toxicological properties of the product itself is not available. Contains glycols. It is recommended not to breathe the vapours for prolonged periods of time due to the possibility of effects that are hazardous to the health .
	Dangerous health implications	In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

11.1	Dangerous health implications	<p>Ingestion (acute effect):</p> <ul style="list-style-type: none"> Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3. Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
		<p>Inhalation (acute effect):</p> <ul style="list-style-type: none"> Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3. Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract.
		<p>Contact with the skin and the eyes (acute effect):</p> <ul style="list-style-type: none"> Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3. Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
		<p>CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):</p> <ul style="list-style-type: none"> Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3. IARC: 2,6-di-tert-butyl-p-cresol (3); 2-butoxyethanol (3); Talc (3); Mica (RCS < 1%) (1) Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
		<p>Sensitizing effects</p> <ul style="list-style-type: none"> Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3. Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
		<p>Specific target organ toxicity (STOT) - single exposure</p> <ul style="list-style-type: none"> Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. for more information see section

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

11.1	Dangerous health implications	<p>Specific target organ toxicity (STOT) - repeated exposure</p> <ul style="list-style-type: none"> Specific target organ toxicity (STOT) - repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. 																							
	Other information	<p>Aspiration Hazard</p> <ul style="list-style-type: none"> Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3. 																							
	Specific toxicology information on the substances	<table border="1"> <thead> <tr> <th>Identification</th> <th colspan="2">Acute Toxicity</th> <th>Genus</th> </tr> </thead> <tbody> <tr> <td rowspan="3">2-butoxyethanol CAS: 111-76-2 EC: 203-905-0</td> <td>LD50 oral</td> <td>1200 mg/kg (ATEi)</td> <td>Rat</td> </tr> <tr> <td>LD50 dermal</td> <td>3000 mg/kg</td> <td>Rabbit</td> </tr> <tr> <td>LC50 inhalation</td> <td>3 mg/L (ATEi)</td> <td></td> </tr> <tr> <td rowspan="3">Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable</td> <td>LD50 oral</td> <td>64 mg/kg</td> <td>Rat</td> </tr> <tr> <td>LD50 dermal</td> <td>87.12 mg/kg</td> <td>Rabbit</td> </tr> <tr> <td>LC50 inhalation</td> <td>0.33 mg/L (4h)</td> <td>Rat</td> </tr> </tbody> </table>	Identification	Acute Toxicity		Genus	2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	LD50 oral	1200 mg/kg (ATEi)	Rat	LD50 dermal	3000 mg/kg	Rabbit	LC50 inhalation	3 mg/L (ATEi)		Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	LD50 oral	64 mg/kg	Rat	LD50 dermal	87.12 mg/kg	Rabbit	LC50 inhalation	0.33 mg/L (4h)
Identification	Acute Toxicity		Genus																						
2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	LD50 oral	1200 mg/kg (ATEi)	Rat																						
	LD50 dermal	3000 mg/kg	Rabbit																						
	LC50 inhalation	3 mg/L (ATEi)																							
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	LD50 oral	64 mg/kg	Rat																						
	LD50 dermal	87.12 mg/kg	Rabbit																						
	LC50 inhalation	0.33 mg/L (4h)	Rat																						
11.2	Information on other hazards	Endocrine-disrupting properties: The product does not meet the criteria																							
	Endocrine disrupting properties																								
	Other Information																								

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

12. ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available.

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

12.1	Acute toxicity	Identification	Concentration		Species	Genus	
		2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	LC50	1490 mg/L (95 h)		Lepomis macrochirus	Fish
		EC50	1815 mg/L (48 h)		Daphnia magna	Crustacean	
		EC50	911 mg/L (72 h)		Pseudokirchneriella subcapitata	Algae	
	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS: 55965-84-9 EC: Non-applicable	LC50	>0.1 - 1 mg/L (96 h)			Fish	
		EC50	>0.1 - 1 mg/L (48 h)			Crustacean	
		EC50	>0.1 - 1 mg/L (72 h)			Algae	
12.2	Chronic toxicity	Identification	Concentration		Species	Genus	
		2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	NOEC	100 mg/L		Danio Rerio	Fish
		NOEC	100 mg/L		Daphnia magna	Crustacean	
12.2	Persistence and degradability	Identification	Degradability		Biodegradability		
	Substance-specific information	2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	BOD5	9.71 g O2/g		Concentration	100 mg/L
			COD	2.2 g O2/g		Period	14 days
		BOD5/COD	0.32		% Biodegradable	96%	
12.3	Bioaccumulative potential	Identification	Bioaccumulation Potential				
	Substance-specific information	2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	BCF		3		
			Pow Log		0.83		
Potential			Low				

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

12.4	Mobility in soil	Identification	Absorption/desorption		Volatility	
		2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	Koc	8	Henry	1.621E-1 Pa·m ³ /mol
			Conclusion	Very High	Dry Soil	No
			Surface tension	2.729E-2 N/m (25 °C)	Moist Soil	Yes
12.5	Results of PBT and vPvB assessment	Product does not meet PBT/vPvB criteria				
12.6	Endocrine disrupting properties	Endocrine-disrupting properties: The product does not meet the criteria.				
12.7	Other adverse effects:	Not described				

13. DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	<table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Waste Class (Regulation (EU) No 1357/2014)</th> </tr> </thead> <tbody> <tr> <td>08 01 12</td> <td>Waste paint and varnish other than those mentioned in 08 01 11</td> <td>Non-hazardous</td> </tr> </tbody> </table>	Code	Description	Waste Class (Regulation (EU) No 1357/2014)	08 01 12	Waste paint and varnish other than those mentioned in 08 01 11	Non-hazardous
	Code	Description	Waste Class (Regulation (EU) No 1357/2014)					
	08 01 12	Waste paint and varnish other than those mentioned in 08 01 11	Non-hazardous					
	Type of waste (Regulation (EU) No 1357/2014)	Non-applicable						
Waste management (disposal and evaluation)	Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.							
Regulations related to waste management	In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014							

14. TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID, IMDG, IATA)

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

12.4	Mobility in soil	Identification	Absorption/desorption		Volatility	
		2-butoxyethanol CAS: 111-76-2 EC: 203-905-0	Koc	8	Henry	1.621E-1 Pa·m ³ /mol
			Conclusion	Very High	Dry Soil	No
			Surface tension	2.729E-2 N/m (25 °C)	Moist Soil	Yes
12.5	Results of PBT and vPvB assessment	Product does not meet PBT/vPvB criteria				
12.6	Endocrine disrupting properties	Endocrine-disrupting properties: The product does not meet the criteria.				
12.7	Other adverse effects:	Not described				

13. DISPOSAL CONSIDERATIONS

13.1	Waste treatment methods	<table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> <th>Waste Class (Regulation (EU) No 1357/2014)</th> </tr> </thead> <tbody> <tr> <td>08 01 12</td> <td>Waste paint and varnish other than those mentioned in 08 01 11</td> <td>Non-hazardous</td> </tr> </tbody> </table>	Code	Description	Waste Class (Regulation (EU) No 1357/2014)	08 01 12	Waste paint and varnish other than those mentioned in 08 01 11	Non-hazardous
	Code	Description	Waste Class (Regulation (EU) No 1357/2014)					
	08 01 12	Waste paint and varnish other than those mentioned in 08 01 11	Non-hazardous					
	Type of waste (Regulation (EU) No 1357/2014)	Non-applicable						
Waste management (disposal and evaluation)	Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.							
Regulations related to waste management	In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014							

14. TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID, IMDG, IATA)

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

15. REGULATORY INFORMATION

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 1,2- benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one(3:1), bronopol (INN),2-methyl-2H-isothiazol-3-one. Candidate substances for authorisation under the Regulation (EC) No 1907/2006(REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (Product-type 2, 4, 6, 11, 12, 13) REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable
	Seveso III	Non-Applicable
	Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annes XVII REACH, etc)	Contains Decamethylcyclopentasiloxane. 1. Shall not be placed on the market in wash-off cosmetic products in a concentration equal to or greater than 0,1 % by weight of either substance, after 31 January 2020. 2. For the purposes of this entry, "wash- off cosmetic products" means cosmetic products as defined in Article 2(1)(a) of Regulation (EC) No 1223/2009 that, under normal conditions of use, are washed off with water after application.'
	Specific provisions in terms of protecting people or the environment	It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.
	Other legislation	The product could be affected by sectorial legislation
15.2	Chemical safety assessment	The supplier has not carried out evaluation of chemical safety

AQUIMAX SELF SEALER

HEALTH AND SAFETY DATA SHEET

Prepared in accordance with 29 CFR 1910.1200

Date of compilation:: 07/10/2019

Revised Date: 03/01/2024

Version: 4

16. OTHER INFORMATION

Legislation related to safety data sheets	The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).
Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks:	Non-applicable
Texts of the legislative phrases mentioned in section 3	The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3
CLP Regulation (EC) No 1272/2008	Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled. Acute Tox. 3: H301 - Toxic if swallowed. Acute Tox. 3: H331 - Toxic if inhaled. Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Corr. 1C: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1A: H317 - May cause an allergic skin reaction.
Classification procedure	Non-applicable
Advice related to training	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.
Principal bibliographical sources	http://echa.europa.eu http://eur-lex.europa.eu
Abbreviations and acronyms	ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 EC50: Effective concentration 50 LogPOW: Octanol water partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier IARC: International Agency for Research on Cancer

Product safety information sheet prepared in accordance with Article 32 of Regulation (EC) 1907/2006 (REACH); this document does not constitute a Safety Data Sheet under Article 31 of Regulation (EC) No. 1907/2006, as a Safety Data Sheet is not mandatory for this product

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.