

Ultrimax Anti-Skid Aggregate

Technical Datasheet



## Pigmented Quartz 0.7-1.2mm


Pigmented Quartz is colour coated quartz sand, available in a range of colours.

Chemical Analysis Quartz Base	%	Physical Data	
SiO <sub>2</sub>	96-99	Particle Shape	Rounded
Fe <sub>2</sub> O <sub>3</sub>	0.02-0.1	Colour	Various
Al <sub>2</sub> O <sub>3</sub>	0.5-1.4	Hardness (Mohs)	7
CaO / MgO / Na <sub>2</sub> O / K <sub>2</sub> O	0.1-0.2	Specific Gravity g/cm <sup>3</sup>	2.65

### Commodity Code

2505 100000

### Particle Size Distribution



### Standard Colours

We have the facilities to match most colours and blends; minimum quantities may apply.

Visit [www.boud.com](http://www.boud.com) for the latest range of standard colours and blends.

### Packing

25 kilo bags on pallets of 1000 kilos and bulk bags

### Registered Office:

Ultrimax Coatings Ltd  
Shaw Lane Industrial Estate,  
Doncaster, DN2 4SE  
t: +44 (0) 1302 856666  
e: [sales@ultrimaxcoatings.co.uk](mailto:sales@ultrimaxcoatings.co.uk)



**Product Code**  
**IPAS05**

**Registered Office:**

Ultrimax Coatings Ltd  
Shaw Lane Industrial Estate,  
Doncaster, DN2 4SE

t: +44 (0) 1302 856666

e: [sales@ultrimaxcoatings.co.uk](mailto:sales@ultrimaxcoatings.co.uk)